



DiscoverBus™ Wireless Temperature Sensor - 0.1°C



A high accuracy digital sensor that
measures ambient air temperature.



SMART
OFFICE



SMART
BUILDING



DATA
CENTRE



CLEAN
ROOM



LEARNING
CENTRE




RETAIL
SPACE



FACTORY
PLANT

Measuring the ambient, or surrounding air temperature, is a fundamental driving parameter for many systems, including climate or environmental controls. This digital sensor is factory calibrated, combining high accuracy, low long term drift and low power consumption.

Perfect for monitoring environments that require high control accuracy using air-conditioning systems for clean rooms, precision tool rooms, laboratories, data centres, server rooms, pharmaceutical, food, perishables, and other goods storage.



KEY FEATURES:

- > Commercial grade sensor
- > On site operation even without the Internet
- > Remote operation with the Internet
- > Fast install with onboarding to Gateway with one tap of an NFC phone
- > Nickname support
- > Tap using NFC phone to instantly jump to the control screen
- > LED flash locate function
- > High and low alerts
- > Configurable sensing sample rate
- > Configurable heartbeat for periodic data
- > Threshold settings to transmit immediate changes
- > Battery voltage status checks and alerts
- > Tamper
- > Signal strength indicator
- > Factory calibrated digital sensor
- > High accuracy

SPECIFICATIONS:

Supply	3V Lithium Coin Cell CR2450
Onboarding	DiscoverBus NFC
Data Transport	DiscoverBus SubGHz
Operating Range	(-10 to 60) °C
Temperature Range	(-10 to 60) °C
Temperature Resolution	0.01 °C
Temperature Accuracy	±0.1 °C max (35.8 to 41.0) °C ±0.13 °C max (20.0 to 60.0) °C ±0.25 °C max (-10.0 to 60.0) °C
Consumption - Sleep	2 uA typical @ 25 °C
Consumption - Run	4 uA typical @ 25 °C with 60 s polling time
Estimated Battery Life	Up to 5 years with 300 s polling time
Dimensions	(52 x 32 x 20) mm (including standard bracket)
Region	Australia, Singapore, Malaysia, USA
Model Number	DB-TMP-101FBN



For more information, visit xped.com

Features and products are continuously being improved, as such specifications are subject to change without notice. Subject to stock holdings, product supply may incur standard manufacturing lead times to be quoted at time of enquiry. Products that utilise radio interfaces such as SubGHz, will be region specific and subject to availability on enquiry.

